

3x / 5x / 6x

Balanced flue gas fireplaces



3X NEW GENERATION BALANCED FLUE GAS FIREPLACE



The stunning new 3X balanced flue gas fireplace is packed with all the Heat & Glo features and technology you expect - IntelliFire PLUS Ignition, Direct Vent Technology (we invented it!), black porcelain reflective interiors... PLUS, logs, LED ember accent lighting and stylish surround options!

FEATURES:

- Top or rear venting option provides installation flexibility - 170mm top/205mm rear venting
- IntelliFire™PLUS ignition system with a multi-function remote control
- Shallow depth makes it ideal for smaller spaces
- Balanced flue technology provides a sealed combustion chamber, maintaining optimum indoor air quality
- Energy saving efficiency with the authenticity of a real fire
- LED ember bed accent lighting to enhance the visual experience
- Optional Fade resistant black glass reflective panels, or stainless steel side plates

5X NEW GENERATION BALANCED FLUE GAS FIREPLACE



Classic sleek lines and realistic looking fire, together with all the technology Heat & Glo has to offer, the 5X has all the trademarks of becoming the class leader, following on from the achievements of its predecessors in the '5 Series' range of balanced flue gas fireplaces.

FEATURES:

- Top or rear venting option provides more installation flexibility 170mm top/205mm rear venting
- IntelliFire™PLUS ignition system with multi function remote control
- Realistic ceramic fibre logset
- Balanced flue technology provides a sealed combustion chamber, maintaining optimum indoor air quality
- Energy saving efficiency with the authenticity of a real fire
- LED ember bed accent lighting to enhance the visual experience
- Optional Fade resistant black glass, or stainless steel reflective panels

6X NEW GENERATION BALANCED FLUE GAS FIREPLACE

The original achievement made even better over time. That's the history behind this flagship model from Heat & Glo. It started in the late 80's as the DV88, gained popularity as the DV36, and then evolved into the award-winning 6000 it is today. Once you experience the vivid flames, the high definition logs, the ember bed accent lighting, and the efficient heat output, you'll see why this will also be an award winner.

FEATURES:

- Top or rear venting option provides greater installation flexibility - 205mm flue
- IntelliFire™PLUS ignition system with a multi-function remote control
- Balanced flue technology provides a sealed combustion chamber, maintaining optimum indoor air quality
- Anti-reflective ceramic glass is standard
- LED ember bed accent lighting to enhance the visual experience
- High Gloss black glass reflective internal panels



Heat & Glo X-Series Technology

3X 5X 6X SLR-X



INTELLIFIRE PLUS IGNITION SYSTEM

The IntelliFire "Plus Ignition System (IPI) is an advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs. IntelliFire Touch takes this technology to the next level with more safety and memory settings and a programmable wireless remote control.



3X 5X

6X SLR-X



DIRECT VENT TECHNOLOGY

With Direct Vent fireplaces and inserts, 100% of combustion exhaust and fumes are removed from your home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

3X 5X 6X



LED EMBER BED

Add an extra layer of dimension and light to your fire. Realistic illuminated LED embers let you enjoy the ambiance, with or without the fire.

3X 5X 6X SLR-X



FADE-RESISTANT BLACK GLASS PANELS

A clean modern look never gets dull. Just like this black glass interior. It's hot. And looks that way, too. For the life of your fireplace.

6X





ANTI REFLECTIVE CERAMIC GLASS

For an uninterrupted view of your new fireplace - no glare no reflection, just a clear gorgeous burning log fire to enhance the experience. The same quality and durability of ceramic glass, now with the added feature of an etched anti reflective outer surface - you won't believe the difference.



Framing Specifications







* MINIMUM FRAMING DIMENSIONS														
Models		Α		В	С		D	E	F	G	н	1	J	
		DVP Pipe	SLP Pipe	Rough Opening (Height)	**DVP Pipe	SLP Pipe	Rough Opening (Width)	Clearance to Ceiling	Combustible Floor	Combustible Flooring	Behind Appliance	Sides of Appliance	Front of Appliance	
		Rough Opening (Width)	Rough Opening (Width)		Rough Opening (Depth)	Rough Opening (Depth)								
3X-AU	mm	254	219	832	413 4	413	864	813	0	0	13	13	914	
5X-AU	mm	254	219	882	413	413	940	813	0	0	13	13	914	
6X-AU	mm	254	_	1019	559	_	1067	813	0	0	13	13	914	

Series

Front Options







X-SERIES BALANCED FLUE GAS FIREPL

Heat & Glo is driven by 'innovation', and is constantly aiming to maintain the credo that 'No one builds a better fire'. In 1987, Heat & Glo redefined the fireplace industry by introducing 'Balanced Flue' technology - forever changing the way fireplaces function.

Much has changed since those early developmental years... yet the formula remains the same. One part innovation, one part application, with an eye toward design and innovative technologies... always striving to be the market leader!

The stunning new X-Series range is packed with all the Heat & Glo features and technology you expect - IntelliFire PLUS Ignition, Direct Vent Technology (we invented it!), black porcelain reflective interiors... PLUS, logs, LED accent lighting, stylish surround options.... and killer looks!

Please contact us at:

JETMASTER HEAT & GLO

444 Swan Street, Richmond

Ph: 1300 219 875

EMAIL: info@jetmastervic.com.au WEB: www.jetmastervic.com.au

PLEASE NOTE:

- Dimensions above are in millimetres and for reference only.
- Refer to Installation Manual and Framing Specifications prior to installing unit.
- · Manufacturer reserves the right to update and modify unit specifications as required.
- Heat capacity for all units is indicative, and dependent on a number of factors: (1) Room size (2) height (3) Floor covering (4) Window coverings - blinds/curtains/double glazing (5) Other factors.
- · In spite of our best efforts, pictures in this brochure may not be true representations of surround finish, fireplace finish and/or flames.







